Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	224	du.xa.	USPAT	OR	OFF	2005/08/29 18:00
S2	1	"6711691".pn.	USPAT	OR	OFF	2004/08/19 16:48
S3	24	("5167024" | "5239652" | "5254928" | "5396635" | "5483656" | "5557777" | "5590061" | "5600841" | "5632037" | "5708816" | "5710929" | "5724591" | "5737615" | "5799198" | "5809314" | "5812796" | "5892959" | "6105097" | "6119194" | "6141762" | "6230277" | "6272644" | "6308278" | "6460143").PN.	USPAT	OR	OFF	2004/08/19 15:50
S4	6	"6460143".URPN.	USPAT	OR	OFF	2004/08/20 15:10
S5	3	US-5404543-$.DID. OR US-5666538-$.DID. OR US-6173409-$.DID.	USPAT	OR	OFF	2005/03/09 17:25
S6	11	US-5590342-$.DID. OR US-5742819-$.DID. OR US-5832283-$.DID. OR US-5884088-$.DID. OR US-5953536-$.DID. OR US-5974556-$.DID. OR US-5978923-$.DID. OR US-6079022-$.DID. OR US-6085325-$.DID. OR US-6112247-$.DID. OR US-6115823-$.DID. OR US-623027B1-$.DID. OR US-624382B1-$.DID. OR US-627264B1-$.DID.	USPAT	OR	OFF	2004/08/19 16:50
S7	11	US-5590342-$.DID. OR US-5742819-$.DID. OR US-5832283-$.DID. OR US-5884088-$.DID. OR US-5953536-$.DID. OR US-5974556-$.DID. OR US-5978923-$.DID. OR US-6079022-$.DID. OR US-6085325-$.DID. OR US-6112247-$.DID. OR US-6115823-$.DID. OR US-623027-$.DID. OR US-624382-$.DID. OR US-627264-$.DID.	USPAT	OR	OFF	2004/08/19 16:51

S8	14	US-5590342-$.DID. OR US-5742819-$.DID. OR US-5832283-$.DID. OR US-5884088-$.DID. OR US-5953536-$.DID. OR US-5974556-$.DID. OR US-5978923-$.DID. OR US-6079022-$.DID. OR US-6085325-$.DID. OR US-6112247-$.DID. OR US-6115823-$.DID. OR US-6230279-$.DID. OR US-6243821-$.DID. OR US-6272642-$.DID.	USPAT	OR	OFF	2004/08/20 10:50
S9	47	(power near3 load$1) same server	USPAT	OR	OFF	2004/08/20 10:51
S10	0	JP-11312030-$.DID.	JPO	OR	OFF	2004/08/20 13:30
S11	0	JP-11-312030-$.DID.	JPO	OR	OFF	2004/08/20 13:24
S12	9	JP-??312030-$.DID.	JPO	OR	OFF	2004/08/20 13:32
S13	0	JP-1999312030-$.DID.	JPO	OR	OFF	2004/08/20 13:32
S14	1	du.xa. and power adj rail	USPAT	OR	OFF	2004/08/20 15:06
S15	1	"6167486".PN.	USPAT	OR	OFF	2004/08/20 15:08
S16	5	power near3 demand with server	USPAT	OR	OFF	2005/03/07 16:15
S17	5	("5515511" | "5935206" | "6065123" | "6115822" | "6327622").PN.	USPAT	OR	OFF	2004/08/20 15:12
S18	0	"6418557".URPN.	USPAT	OR	OFF	2004/08/20 15:14
S19	4896	(processor cpu microprocessor) near3 server	USPAT	OR	OFF	2005/03/07 16:15
S20	116	(processor cpu microprocessor) near3 server with (power frequenc$3)	USPAT	OR	OFF	2005/03/07 16:11
S21	16	(processor cpu microprocessor) near3 server with (power frequenc$3) with (task$1 load$1)	USPAT	OR	OFF	2005/03/07 16:23
S22	8736	power near3 demand	USPAT	OR	OFF	2005/03/07 16:15
S23	242	S22 with (processor cpu microprocessor)	USPAT	OR	OFF	2005/03/07 16:17
S24	1	S23 same server	USPAT	OR	OFF	2005/03/07 16:16
S25	137	S22 near5 (processor cpu microprocessor)	USPAT	OR	OFF	2005/03/07 16:17
S26	16	S25 and 713/3??.ccls.	USPAT	OR	OFF	2005/03/07 16:17
S27	18	(processor cpu microprocessor) near5 dynamic$5 near3 (power frequenc$3) same (task$1 load$1)	USPAT	OR	OFF	2005/03/07 17:26
S28	6	"733 MHz"	USPAT	OR	OFF	2005/03/07 17:45
S29	159	server with dynamica$4 with load$1	USPAT	OR	OFF	2005/03/07 17:57

S30	97	server with dynamica$4 near5 load$1	USPAT	OR	OFF	2005/03/07 17:46
S31	1	S30 same power	USPAT	OR	OFF	2005/03/07 17:46
S32	92	server with power with load$1	USPAT	OR	OFF	2005/03/07 17:58
S33	1	server with dynamica$4 with load$1 with power	USPAT	OR	OFF	2005/03/07 17:57
S34	1	server with power near2 (mode$1 state$1) with load$1	USPAT	OR	OFF	2005/03/07 17:58
S35	210	server with (number near3 client$1 near3 connect$4)	USPAT	OR	OFF	2005/03/10 17:02
S36	11	server with (number near3 client$1 near3 connect$4) with (detect$3 determine$3)	USPAT	OR	OFF	2005/03/09 17:49
S37	7	server with (number near3 client$1 near3 connect$4) with (detect$3 determine$3)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 18:03
S38	2673	load adj balanc$3	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 18:04
S39	7677	load adj balanc$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 18:04
S40	89	load adj balanc$3 and (client$1 near3 connect$4) with (detect$3 determine$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 18:47
S41	7	load adj balanc$3 and (client$1 near3 connect$4) with (detect$3 determine$3) with number$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 18:05
S42	147937	makoto.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 18:47
S43	14620	makoto.in.	USPAT	OR	OFF	2005/03/09 18:47
S44	78	(makoto near2 ando).in.	USPAT	OR	OFF	2005/03/09 18:47
S45	48	bios near3 acpi	USPAT	OR	OFF	2005/03/10 14:52
S46	701	bios near3 power	USPAT	OR	OFF	2005/03/10 15:40
S47	22	bios near3 power near3 instruction$1	USPAT	OR	OFF	2005/03/10 14:53
S48	41	bios near3 power near3 (resid$3 stor$3)	USPAT	OR	OFF	2005/03/10 15:41
S49	7	server with (number near3 client$1 near3 connect$4) with monitor$3	USPAT	OR	OFF	2005/03/10 17:02
S50	1	"20030065497".pn.	US-PGPUB; USPAT	OR	OFF	2005/08/29 18:10

S51	69077	type near3 connection$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:01
S52	112750	power near3 (distribut$3 select$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 18:18
S53	77	S52 with S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 18:13
S54	2	S52 with S51 same secure$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 18:12
S55	26	S52 with S51 and secure$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 19:31
S56	2132	network with (connection$2 near5 (secure$1 unsecure$1 un-secure$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 18:18
S57	2	S52 same S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 18:18
S58	46	S52 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 19:27
S59	316	whether with (secure$1 near2 (network connection$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 10:59
S60	1	whether with (secure$1 near2 (network connection$1)) with power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:59

S61	145	whether near5 (secure$1 near2 (network connection$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 10:59
S62	5	whether near5 (secure$1 near2 (network connection$1)) same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 10:59
S63	37	(type near3 (connection$2 transaction$1)) same secure$1 same (unsecure$1 un-secure$1 non-secure$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:09
S64	1	(type near3 (connection$2 transaction$1)) same secure$1 same (unsecure$1 un-secure$1 non-secure$1) same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:03
S65	28	(power near3 require$4) same (secure$1 near3 (network transaction$1 connection$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 12:18
S66	2	(power near3 require$4) same ((unsecure$1 un-secure$1 non-secure$1) near3 (network transaction$1 connection$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:47
S67	1	S65 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:12
S68	22	"20050055589" "20050027952" "20040128562" "20030196126" "20030188208" "20030037268" "20030037150" ("20030033547" "20020062454" "20020007464" "20020004913").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 12:21
S69	11	"20050055589" "20050027952" "20040128562" "20030196126" "20030188208" "20030037268" "20030037150" ("20030033547" "20020062454" "20020007464" "20020004913").pn.	US-PGPUB	OR	OFF	2005/08/30 12:21

S70	24	"20050055589" "20050027952" "20040128562" "20030196126" "20030188208" "20030037268" "20030037150" ("20030033547" "20020062454" "20020007464" "20020004913" "20030112582").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 12:22
S71	12	"20050055589" "20050027952" "20040128562" "20030196126" "20030188208" "20030037268" "20030037150" ("20030033547" "20020062454" "20020007464" "20020004913" "20030112582").pn.	US-PGPUB	OR	OFF	2005/08/30 12:22
S72	144	power adj management same server	USPAT	OR	OFF	2005/08/30 13:21
S73	16	power adj management same server same (power adj state$1)	USPAT	OR	OFF	2005/08/30 13:21
S74	739	(power near3 adjust$3) with (connection$1 transaction$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:50
S75	4	(power near3 adjust$3) with based adj3 (connection$1 transaction$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:48
S76	6	(power near3 adjust$3) with (type near3 (connection$1 transaction$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:49
S77	1	(power near3 adjust$3) with (secure$1 (unsecure$1 un-secure$1 non-secure$1)) near5 (connection$1 transaction$1 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:51
S78	8	whether with (secure$1 near2 (network connection$1)) same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:59